MODEL:JKD-YC260-AH



Lamp lifetime ≧50,000小时

Working temperature −20°C～40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Resin Filled Wall Mounted LED Pool Light	JKD-YC260-AH	D260*H40	LED/SMD2835	18W 25W 35W	AC12V	Irradiation area widen The light is downy and No dazzling	ABS+pctransp arency cover



MODEL:JKD-YC280-AH



Lamp lifetime ≧50,000小时

Working temperature −20°C～40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Resin Filled Wall Mounted LED Pool Light	JKD-YC280-AH	D280*H40	LED/SMD2835	18W 25W 35W	AC12V	Irradiation area widen The light is downy and No dazzling	ABS+pctransp arency cover



MODEL:JKD-YC180-S



MODEL:JKD-YC230-S





MODEL:JKD-YC300-S



MODEL:JKD-YC180-SW



MODEL:JKD-YC230-SW



MODEL:JKD-YC300-SW

Lamp lifetime ≧50,000小时

Working temperature -20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-YC180-SH(Blue) JKD-YC180-SWH (White)	D180*H45	1PCS/W High Power LED	3W 6W	AC12V	Irradiation long distance and Concentrated light	Staunless Steel 301/316
	JKD-YC180-SS(Blue) JKD-YC180-SWS (White)		SMD 2835 SMD LED	6W 9W		Irradiation area widen The light is downy and No dazzling	
	JKD-YC230-SH(Blue) JKD-YC230-SWH (White)	D230*H48	1PCS/W High Power LED	6W 9W 12W		Irradiation long distance and Concentrated light	
	JKD-YC230-SS(Blue) JKD-YC230-SWS (White)		SMD 2835 SMD LED	9W 12W 18W		Irradiation area widen The light is downy and No dazzling	
	JKD-YC300-SH(Blue) JKD-YC300-SWH (White)	D300*H70	1PCS/W High Power LED	18W 24W 36W 18*3W		Irradiation long distance and Concentrated light	
	JKD-YC300-SS(Blue) JKD-YC300-SWS (White)		SMD 2835 SMD LED	18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-YC260-S

Lamp lifetime ≧50,000小时

Working temperature -20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Resin Filled Wall Mounted LED Pool Light	JKD-YC260-S	D260*H30	LED/SMD2835	18W 25W 35W	AC12V	Irradiation area widen The light is downy and No dazzling	Stainless Steel 304/316+pctransparency cover

MODEL:JKD-YC295-AH

MODEL:JKD-YC295-AS







Lamp lifetime ≧50,000小时

Working temperature -20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-YC295-AH	D295*H70	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-YC295-AS		SMD 2835 SMD LED	12*3W 12W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	



MODEL:JKD-YC292-A







Lamp lifetime ≧50,000小时

Working temperature −20°C～40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Embedded pool Ling	JKD-YC292-AH	D292*H70	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-YC292-AS		SMD 2835 SMD LED	12*3W 12W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-YC292-2AH

MODEL:JKD-YC292-2AS







Lamp lifetime ≧50,000小时

Working temperature −20°C～40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-YC292-2AH	D292*H70	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-YC292-2AS		SMD 2835 SMD LED	12*3W 12W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-YC280-AH

MODEL:JKD-YC280-AS







Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-YC280-AH	D280*H70	1PCS/W High Power LED	12W 18W 24W 12*3W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-YC280-AS		SMD 2835 SMD LED	12W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-YC260-AH

MODEL:JKD-YC260-AS







Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-YC260-AH	D260*H70	1PCS/W High Power LED	12W 18W 24W 12*3W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-YC260-AS		SMD 2835 SMD LED	12W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-YC295-2AH

MODEL:JKD-YC295-2AS









Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-YC295-2AH	D295*H70	1PCS/W High Power LED	12W 18W 24W 12*3W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-YC295-2AS		SMD 2835 SMD LED	12W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-YC230-2AH

MODEL:JKD-YC230-2AS







Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-YC230-2AH	D230*H58	1PCS/W High Power LED	6W 9W 12W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-YC230-2AS		SMD 2835 SMD LED	9W 12W 18W		Irradiation area widen The light is downy and No dazzling	



MODEL:JKD-QR195-S



MODEL:JKD-QR270-S

Lamp lifetime ≧50,000小时

Working temperature -20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Embedded pool Ling	JKD-QR195-SH	D195*H75	1PCS/W High Power LED	6W 9W 12W	AC12V	Irradiation long distance and Concentrated light	Electrolyzed Stainless Steel 304/316
	JKD-QR195-SS		SMD 2835 SMD LED	9W 12W 18W		Irradiation area widen The light is downy and No dazzling	
	JKD-QR270-SH	D270*H118	1PCS/W High Power LED	18W 24W 12*3W		Irradiation long distance and Concentrated light	Electrolyzed Stainless Steel 304/316
	JKD-QR270-SS		SMD 2835 SMD LED	18W 25W 35W		Irradiation area widen The light is downy and No dazzling	



MODEL:JKD-QR170



MODEL:JKD-QR290



Lamp lifetime ≧50,000小时

Working temperature -20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Embedded LED pool Ling	JKD-QR170-SSH	D170*H196	1PCS/W High Power LED	6W 9W	AC12V	Irradiation long distance and Concentrated light	ABC+UV Stainless Steel 304/316
	JKD-QR170-SSS		SMD 2835 SMD LED	6W 9W 12W		Irradiation area widen The light is downy and No dazzling	
	JKD-QR290-SSH	D290*H225	1PCS/W High Power LED	18W 24W 36W		Irradiation long distance and Concentrated light	
	JKD-QR290-SSS		SMD 2835 SMD LED	18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	





MODEL:JKD-QR95-A





MODEL:JKD-QR105-S

Lamp lifetime ≥50,000小时 | Working temperature −20°C～40°C | IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Body Material
Embedded LED pool Ling	JKD-QR95-A	D95*H115	SMD2835 1PCS/W	3W 6W 9W	AC12V	ABC+UV
	JKD-QR105-S	D105*H115		3W 6W 9W		Stainless steel 301/316



MODEL:JKD-QR290-AH JKD-QR290-AS



Lamp lifetime ≥50,000小时 | Working temperature −20°C～40°C | IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Embedded pool Ling	JKD-QR290-AH	D290*H168	1PCS/W High Power LED	12W 18W 24W 12*3W 18W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-QR290-AS		SMD 2835 SMD LED	25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-QR280-AH JKD-QR280-AS





Lamp lifetime ≧50,000小时 Working temperature -20°C~40°C IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Embedded pool Ling	JKD-QR280-AH	D280*H168	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-QR280-AS		SMD 2835 SMD LED	12*3W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-P56-TGS MODEL:JKD-P56-TGH



Lamp lifetime ≧50,000小时 Working temperature -20°C~40°C IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-P56-TGH	D177*H83	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	Glass
	JKD-P56-TGS		SMD 2835 SMD LED	12*3W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-P56-AH

MODEL:JKD-P56-AS



Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-P56-AH	D177*H83	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	ABS+UV
	JKD-P56-AS		SMD 2835 SMD LED	12*3W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	



MODEL:JKD-P56-SH

MODEL:JKD-P56-SS



Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-P56-SH	D177*H83	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	Staunless Steel 304/316
	JKD-P56-SS		SMD 2835 SMD LED	12*3W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	





MODEL:JKD-P56-SS





Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-P56-SSH	D177*H83	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	Staunless Steel 304/316
	JKD-P56-SSS		SMD 2835 SMD LED	12*3W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

MODEL:JKD-P56-G





Lamp lifetime ≧50,000小时

Working temperature −20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-P56-GH	D177*H83	1PCS/W High Power LED	12W 18W 24W	AC12V	Irradiation long distance and Concentrated light	Glass
	JKD-P56-GS		SMD 2835 SMD LED	12*3W 18W 25W 35W 45W		Irradiation area widen The light is downy and No dazzling	

suitable for most Pentair Hayward light Fixture



Users are advised to replace the gasket with a new one, otherwise the warranty won't be offered for damages caused by water leakage.



MODEL:JKD-P38-AS

Lamp lifetime ≥50,000小时

Working temperature -20°C~40°C

IP68

Product	Model	Size(mm)	Light Source	Power	Working Voltage	Lighting effects	Body Material
Wall mounted pool lamp	JKD-P38-AS	D169*H138	SMD2835 SMD LED	18W 25W 35W 45W	AC12V/110V	Irradiation area widen The light is downy and No dazzling	ABS

MODEL:JKD-DM-S100

MODEL:JKD-DM-S130

MODEL:JKD-DM-S150

MODEL:JKD-DM-S180



MODEL:JKD-DM-S210



MODEL:JKD-DM-S240



MODEL:JKD-DM-S260



MODEL:JKD-PQ-S300

MODEL:JKD-SD-A82



MODEL: JKD-SD-A120

MODEL: JKD-SD-A145

MODEL: JKD-SD-A145

MODEL: JKD-SD-A160

MODEL: JKD-SD-A190

MODEL: JKD-SD-A210

MODEL: JKD-SD-A230

MODEL:JKD-SD-B75

MODEL:JKD-SD-B90



MODEL:JKD-SD-B135

MODEL:JKD-SD-B160

MODEL:JKD-SD-B170

MODEL:JKD-SD-B190

MODEL:JKD-SD-B215

MODEL:JKD-SD-B250



MODEL:JKD-SD-B300

MODEL:JKD-SD-B350

JKD-SD-C115



JKD-SD-C135



JKD-SD-C145

JKD-SD-C170

JKD-SD-C190

JKD-SD-C215

JKD-SD-C230

JKD-SD-C250

JKD-SD-C300

MODEL:JKD-PQ-S150



MODEL:JKD-PQ-S168



MODEL:JKD-PQ-S180



MODEL:JKD-PQ-S210



MODEL:JKD-PQ-S230



MODEL:JKD-PQ-S250



MODEL:JKD-PQ-S210-2



MODEL:JKD-PQ-S250-2



MODEL:JKD-PQ-L110



MODEL:JKD-PQ-L130



MODEL:JKD-PQ-L160



MODEL:JKD-PQ-L180



MODEL:JKD-PQ-L200



WATERPROOR CONNECTOR

MODEL:JKD-JX-2

MODEL:JKD-JX-3

MODEL:JKD-JX-4

MODEL:JKD-JX-3Y

MODEL:JKD-JX-3T

MODEL:JKD-JX-2D

MODEL:JKD-JX-3D

MODEL:JKD-JX-4D

MODEL:JKD-JX-5D

MODEL:JKD-JX-6D

TRANSFORMER

MODEL:JKD-BY

MODEL:JKD-KG

MODEL:JKD-JX-S